Contents of Volume 40

Vol. 40, No. 1 May (I) 1999

Identification of *cis*-regulatory elements required for endosperm expression of the rice storage protein glutelin gene *GluB-1*
H. Washida, C.-Y. Wu, A. Suzuki, U. Yamanouchi, T. Akihama, K. Harada, F. Takaiwa **1–12**

Distribution of two isoforms of NADP-dependent isocitrate dehydrogenase in soybean (*Glycine max*)
K.S. Park, M.L. Kahn **13–21**

Characterization and heterologous expression of laccase cDNAs from xylem tissues of yellow-poplar (*Liriodendron tulipifera*)
P.R. LaFayette, K.-E.L. Eriksson, J.F.D. Dean **23–35**

The IRT1 protein from *Arabidopsis thaliana* is a metal transporter with a broad substrate range
Y.O. Korshunova, D. Eide, W.G. Clark, M.L. Guerinot, H.B. Pakrasi **37–44**

Disruption of specific flavonoid genes enhances the accumulation of flavonoid enzymes and end-products in *Arabidopsis* seedlings
M.K. Pelletier, I.E. Burbulis, B. Winkel-Shirley **45–54**

***Arabidopsis thaliana* 'extra-large GTP-binding protein' (AtXLG1): a new class of G-protein**
Y.-R.J. Lee, S.M. Assmann **55–64**

A new class of plant homeobox genes is expressed in specific regions of determinate symbiotic root nodules
J.-E. Jørgensen, M. Grønlund, N. Pallisgaard, K. Larsen, K.A. Marcker, E.Ø. Jensen **65–77**

Temporal and spatial gene expression of cytochrome B5 during flower and fruit development in olives
A.I. Martsinkovskaya, Z.P. Poghosyan, K. Haralampidis, D.J. Murphy, P. Hatzopoulos **79–90**

The S7 ribosomal protein gene is truncated and overlaps a cytochrome *c* biogenesis gene in pea mitochondria
D. Zhuo, H.T. Nguyen-Lowe, S. Subramanian, L. Bonen **91–97**

Characterization of the pea rDNA replication fork barrier: putative *cis*-acting and *trans*-acting factors
C. López-Estraño, J.B. Schvartzman, D.B. Krimer, P. Hernández **99–110**

Characterization of three distinct cDNA clones encoding cysteine proteinases from maize (*Zea mays* L.) callus
T. Pechan, B. Jiang, D. Steckler, L. Ye, L. Lin, D.S. Luthe, W.P. Williams **111–119**

Analysis of promoters from tyrosine/dihydroxyphenylalanine decarboxylase and berberine bridge enzyme genes involved in benzylisoquinoline alkaloid biosynthesis in opium poppy
S.-U. Park, A.G. Johnson, C. Penzes-Yost, P.J. Facchini **121–131**

Alternative transcription initiation sites generate two *LAC1* Ca^{2+}-ATPase mRNA transcripts in tomato roots
J.P. Navarro-Avino, A.E. Hentzen, A.B. Bennett 133–140

An *Atropa belladonna* hyoscyamine 6β-hydroxylase gene is differentially expressed in the root pericycle and anthers
K.-i. Suzuki, D.-J. Yun, X.-Y. Chen, Y. Yamada, T. Hashimoto 141–152

Structure, organization and expression of two closely related novel *Lea* (late-embryogenesis-abundant) genes in *Arabidopsis thaliana*
M. Raynal, J. Guilleminot, C. Gueguen, R. Cooke, M. Delseny, V. Gruber 153–165

Identification of a rice *APETALA3* homologue by yeast two-hybrid screening
Y.-H. Moon, J.-Y. Jung, H.-G. Kang, G. An 167–177

Characterization of closely related δ-TIP genes encoding aquaporins which are differentially expressed in sunflower roots upon water deprivation through exposure to air
X. Sarda, D. Tousch, K. Ferrare, F. Cellier, C. Alcon, J.M. Dupuis, F. Casse, T. Lamaze 179–191

Sequence announcement 193

Errata 195–197

Vol. 40, No. 2 May (II) 1999

Characterization, subcellular localization and nuclear targeting of casein kinase 2 from *Zea mays*
G. Peracchia, A.B. Jensen, F.A. Culiáñez-Macià, J. Grosset, A. Goday, O.-G. Issinger, M. Pagès 199–211

Transgenic tomato plants with decreased sucrose synthase are unaltered in starch and sugar accumulation in the fruit
S. Chengappa, M. Guilleroux, W. Phillips, R. Shields 213–221

Selectable marker-free transgenic plants without sexual crossing: transient expression of *cre* recombinase and use of a conditional lethal dominant gene
A.P. Gleave, D.S. Mitra, S.R. Mudge, B.A.M. Morris 223–235

Identification of senescence-associated genes from daylily petals
T. Panavas, A. Pikula, P.D. Reid, B. Rubinstein, E.L. Walker 237–248

Upstream and downstream sequence elements determine the specificity of the rice tungro bacilliform virus promoter and influence RNA production after transcription initiation
A. Klöti, C. Henrich, S. Bieri, X. He, G. Chen, P.K. Burkhardt, J. Wünn, P. Lucca, T. Hohn, I. Potrykus, J. Fütterer 249–266

Diverse range of gene activity during *Arabidopsis thaliana* leaf senescence includes pathogen-independent induction of defense-related genes
B.F. Quirino, J. Normanly, R.M. Amasino 267–278

Enhanced tolerance to light stress of transgenic *Arabidopsis* plants that express the *codA* gene for a bacterial choline oxidase
Alia, Y. Kondo, A. Sakamoto, H. Nonaka, H. Hayashi, P.P. Saradhi, T.H.H. Chen, N. Murata 279–288

Identification of disease response genes expressed in *Gossypium hirsutum* upon infection with the wilt pathogen *Verticillium dahliae*
M.K. Hill, K.J. Lyon, B.R. Lyon **289–296**

Cloning and expression of a prokaryotic sucrose-phosphate synthase gene from the cyanobacterium *Synechocystis* sp. PCC 6803
J.E. Lunn, G.D. Price, R.T. Furbank **297–305**

A thermophilic cyanobacterium *Synechococcus elongatus* has three different Class I prenyltransferase genes
C. Ohto, C. Ishida, H. Nakane, M. Muramatsu, T. Nishino, S. Obata **307–321**

A novel E-type endo-β-1,4-glucanase with a putative cellulose-binding domain is highly expressed in ripening strawberry fruits
L. Trainotti, S. Spolaore, A. Pavenello, B. Baldan, G. Casadoro **323–332**

Treatment with 24-epibrassinolide, a brassinosteroid, increases the basic thermotolerance of *Brassica napus* and tomato seedlings
S. Dhaubhadel, S. Chaudhary, K.F. Dobinson, P. Krishna **333–342**

***ZmOCL1*, an HDGL2 family homebox gene, is expressed in the outer cell layer throughout maize development**
G.C. Ingram, J.-L. Magnard, P. Vergne, C. Dumas, P.M. Rogowsky **343–354**

Expression and cellular localization of *Atrab28* during *Arabidopsis* embryogenesis
C. Arenas-Mena, M. Raynal, A. Borrell, F. Varoquaux, M.C. Cutanda, R.A.P. Stacy, M. Pagès, M. Delseny, F.A. Culiáñez-Macià **355–363**

cDNA cloning and heterologous expression of cinifering β-glucosidase
D.P. Dharmawardhana, B.E. Ellis, J.E. Carlson **365–372**

Vol. 40, No. 3 June 1999

Modulation of GT-1 DNA-binding activity by calcium-dependent phosphorylation
E. Maréchal, K. Hiratsuka, J. Delgado, A. Nairn, J. Qin, B.T. Chait, N.-H. Chua **373–386**

Mutation of GT-1 binding sites in the *Pr-1A* promoter influences the level of inducible gene expression *in vivo*
A.S. Buchel, F.Th. Brederode, J.F. Bol, H.J.M. Linthorst **387–396**

MsJ1, an alfalfa DnaJ-like gene, is tissue-specific and transcriptionally regulated during cell cycle
G. Frugis, G. Mele, D. Giannino, D. Mariotti **397–408**

Molecular characterization of DnaK from the halotolerant cyanobacterium *Aphanothece halophytica* for ATPase, protein folding, and copper binding under various salinity conditions
T. Hibino, N. Kaku, H. Yoshikawa, T. Takabe, T. Takabe **409–418**

Analysis of the C-terminal region of *Arabidopsis thaliana APETALA1* as a transcription activation domain
S. Cho, S. Jang, S. Chae, K.M. Chung, Y.-H. Moon, G. An, S.K. Jang **419–429**

Analyses of isoamylase gene activity in wild-type barley indicate its involvement in starch synthesis
C. Sun, P. Sathish, S. Ahlandsberg, C. Jansson **431–443**

A group of α-1,4-glucan lyase genes from the fungi *Morchella costata, M. vulgaris* and *Peziza ostracoderma.* Cloning, complete sequencing and heterologous expression
K. Bojsen, S. Yu, J. Marcussen 445–454

Rapid transcript accumulation of pathogenesis-related genes during an incompatible interaction in bacterial speck disease-resistant tomato plants
Y. Jia, G.B. Martin 455–465

Inactivation of the monocistronic *rca* gene in *Anabaena variabilis* suggests a physiological ribulose bisphosphate carboxylase/oxygenase activase-like function in heterocystous cyanobacteria
L.-A. Li, M.R. Zianni, F.R. Tabita 467–478

Isolation and characterization of cDNAs encoding mitochondrial phosphate transporters in soybean, maize, rice, and *Arabidopsis*
R. Takabatake, S. Hata, M. Taniguchi, H. Kouchi, T. Sugiyama, K. Izui 479–486

Evidence for functional convergence of redox regulation in G6DPH isoforms of cyanobacteria and higher plants
U.K. Wendt, R. Hauschild, C. Lange, M. Pietersma, I. Wenderoth, A. von Schaewen 487–494

VsENBP1 regulates the expression of the early nodulin *PsENOD12B*
A.C. Hansen, H. Busk, A. Marcker, K.A. Marcker, E.Ø. Jensen 495–506

Phycoerythrins of the oxyphotobacterium *Prochlorococcus marinus* are associated to the thylakoid membrane and are encoded by a single large gene cluster
W.R. Hess, C. Steglich, C. Lichtlé, F. Partensky 507–521

Sequence announcements 523–541

Corrigendum 543

Vol. 40, No. 4 July (I) 1999

Mini-review

14-3-3 proteins: eukaryotic regulatory proteins with many functions
C. Finnie, J. Borch, D.B. Collinge 545–554

Research papers

Secondary xylem-specific expression of caffeoyl-coenzyme A 3-*O*-methyltransferase plays an important role in the methylation pathway associated with lignin biosynthesis in loblolly pine
L. Li, Y. Osakabe, C.P. Joshi, V.L. Chiang 555–565

Identification and characterization of T3/T7 bacteriophage-like RNA polymerase sequences in wheat
T.M. Ikeda, M.W. Gray 567–578

Early elicitor induction in members of a novel multigene family coding for highly related RING-H2 proteins in *Arabidopsis thaliana*
R.E. Salinas-Mondragón, C. Gardidueñas-Piña, P. Guzmán 579–590

An anaerobically inducible early (*aie*) gene family from rice
E. Huq, T.K. Hodges 591–601

A defective seed coat pattern (Net) is correlated with the post-transcriptional abundance of soluble proline-rich cell wall proteins
J.D. Percy, R. Philip, L.O. Vodkin 603–613

Antisense suppression of tomato endo-1,4-β-glucanase Cel2 mRNA accumulation increases the force required to break fruit abscission zones but does not affect fruit softening
D.A. Brummell, B.D. Hall, A.B. Bennett 615–622

Expression analysis of a cytosolic glutamine synthetase gene in cotyledons of Scots pine seedlings: developmental, light regulation and spatial distribution of specific transcripts
F.R. Cantón, M.-F. Suárez, M. Josè-Estanyol, F.M. Cánovas 623–634

Characterization and expression of plasma and tonoplast membrane aquaporins in primed seed of *Brassica napus* during germination under stress conditions
Y.-P. Gao, L. Young, P. Bonham-Smith, L.V. Gusta 635–644

Gibberellin-responsive genes: high level of transcript accumulation in leaf sheath meristematic tissue from *Zea mays* L.
M. Ogawa, T. Kusano, N. Koizumi, M. Katsumi, H. Sano 645–657

Introducton of *SLG* (*S* locus glycoprotein) alters the phenotype of endogenous *S* haplotype, but confers no new *S* haplotyte specificity in *Brassica rapa* L.
T. Takasaki, K. Hatakeyama, M. Watanabe, K. Toriyama, A. Isogai, K. Hinata 659–668

Phytochrome types in *Picea* and *Pinus*. Expression patterns of *PHYA*-related types
D.H. Clapham, H.U. Kolukisaoglu, C.-T. Larsson, M. Qamaruddin, I. Ekberg, C. Wiegmann-Eirund, H.A.W. Schneider-Poetsch, S. von Arnold 669–678

Altering the 3′ UTR endonucleolytic cleavage site of a *Chlamydomonas* chloroplast mRNA affects 3′-end maturation *in vitro* but not *in vivo*
R. Rott, V. Liveanu, R.G. Drager, D. Higgs, D.B. Stern, G. Schuster 679–686

Phytoene synthase-2 enzyme activity in tomato does not contribute to carotenoid synthesis in ripening fruit
P.D. Fraser, J.W. Kiano, M.R. Truesdale, W. Schuch, P.M. Bramley 687–698

Interaction between composite elements in the *napA* promoter: both the B-box ABA-responsive complex and the RY/G complex are necessary for seed-specific expression
I. Ezcurra, M. Ellerström, P. Wycliffe, K. Stålberg, L. Rask 699–709

A mini binary vector series for plant transformation
C. Xiang, P. Han, I. Lutziger, K. Wang, D.J. Oliver 711–717

Transcript accumulation and utilization of alternate and non-consensus splice sites in rice granule-bound starch synthase are temperature-sensitive and controlled by a single-nucleotide polymorphism
P.D. Larkin, W.D. Park 719–727

Salt-specific regulation of the cytosolic *O*-acetylserine(thiol)lyase gene from *Arabidopsis thaliana* is dependent on abscisic acid
C. Barroso, L.C. Romero, F.J. Cejudo, J.M. Vega, C. Gotor 729–736

Characterisation of the PsbX protein from Photosystem II and light regulation of its gene expression in higher plants
L.-X. Shi, S.J. Kim, A. Marchant, C. Robinson, W.P. Schröder 737–744

Sequence announcements 745–761

Vol. 40, No. 5 July (II) 1999

Mini-review

Oligopeptide signalling and the action of systemin
A. Schaller 763–769

Research papers

Structure and promoter/leader deletion analysis of mirabilis mosaic virus (MMV) full-length transcript promoter in transgenic plants
N. Dey, I.B. Maiti 771–782

Overexpression of a cytoplasm-localized allene oxide synthase promotes the wound-induced accumulation of jasmonic acid in transgenic tobacco
C. Wang, S. Avdiushko, D.F. Hildebrand 783–793

Cloning and functional expression of the small subunit of acetolactate synthase from *Nicotiana plumbaginifolia*
H.P. Hershey, L.J. Schwartz, J.P. Gale, L.M. Abell 795–806

Characterization of two subclasses of PR-10 transcripts in lily anthers and induction of their genes through separate signal transduction pathways
C.-S. Wang, J.-C. Huang, J.-H. Hu 807–814

Wound- and systemin-inducible calmodulin gene expression in tomato leaves
D.R. Bergey, C.A. Ryan 815–823

Molecular cloning, expression, and functional characterization of a 2Cys-peroxiredoxin in Chinese cabbage
N.E. Cheong, Y.O. Choi, K.O. Lee, W.Y. Kim, B.G. Jung, Y.H. Chi, J.S. Jeong, K. Kim, M.J. Cho, S.Y. Lee 825–834

Site-directed mutagenesis of Glu-297 from the α-polypeptide of *Phaseolus vulgaris* glutamine synthetase alters kinetic and structural properties and confers resistance to L-methionine sulfoximine
M.T. Clemente, A.J. Márquez 835–845

Chemical induction of disease resistance in rice is correlated with the expression of a gene encoding a nucleotide binding site and leucine-rich repeats
K. Sakamoto, Y. Tada, Y. Yokozeki, H. Akagi, N. Hayashi, T. Fujimura, N. Ichikawa 847–855

Isolation of rapeseed genes expressed early and specifically during development of the male gametophyte
A. Fourgoux-Nicol, J. Drouaud, N. Haouazine, G. Pelletier, P. Guerche 857–872

The *Atger3* promoter confers circadian clock-regulated transcription with peak expression at the beginning of the night
D. Staiger, K. Apel, G. Trepp 873–882

Regulation of the *hvst1* gene encoding a high-affinity sulfate transporter from *Hordeum vulgare*
J.J. Vidmar, J.K. Schjoerring, B. Touraine, A.D.M. Glass **883–892**

The restorer *Rfo* gene acts post-translationally on the stability of the ORF138 Ogura CMS-associated protein in reproductive tissues of rapeseed cybrids
M. Bellaoui, M. Grelon, G. Pelletier, F. Budar **893–902**

Vol. 40, No. 6 August 1999

Mini-review

LINEs, SINEs and repetitive DNA: non-LTR retrotransposons in plant genomes
T. Schmidt **903–910**

Research papers

Differential expression of rice α-amylase genes during seedling development under anoxia
Y.-S. Hwang, B.R. Thomas, R.L. Rodriguez **911–920**

Elicitor- and A23187-induced expression of *WCK-1*, a gene encoding mitogen-activated protein kinase in wheat
D. Takezawa **921–933**

Negative effect of the 5′-untranslated leader sequence on *Ac* transposon promoter expression
K.C. Scortecci, R. Raina, N.V. Fedoroff, M.-A. Van Sluys **935–944**

A leucine-rich repeat receptor-like protein kinase (LRPKm1) gene is induced in *Malus* × *domestica* by *Venturia inaequalis* infection and salicylic acid treatment
M. Komjanc, S. Festi, L. Rizzotti, L. Cattivelli, F. Cervone, G. De Lorenzo **945–957**

The *mat-r* open reading frame is transcribed from a non-canonical promoter and contains an internal promoter to co-transcribe exons *nad1e* and *nad5III* in wheat mitochondria
J.-C. Farré, A. Araya **959–967**

A cDNA from tobacco codes for an inhibitor of virus replication (IVR)-like protein
F. Akad, E. Teverovsky, A. David, H. Czosnek, D. Gidoni, A. Gera, G. Loebenstein **969–976**

Construction and characterization of a common bean bacterial artificial chromosome library
W. Vanhouten, S. MacKenzie **977–983**

Expression of two PIP genes in rapidly growing internodes of rice is not primarily controlled by meristem activity or cell expansion
S. Malz, M. Sauter **985–995**

Dimerisation of maize glutathione transferases in recombinant bacteria
D.P. Dixon, D.J. Cole, R. Edwards **997–1008**

Methyl jasmonate induces expression of a novel *Brassica juncea* chitinase with two chitin-binding domains
K.-J. Zhao, M.-L. Chye **1009–1018**

A starch-branching enzyme gene in wheat produces alternatively spliced transcripts
M. Bâga, S. Glaze, C.S. Mallard, R.N. Chibbar **1019–1030**

Semi-quantitative RT-PCR analysis of photoregulated gene expression in marine diatoms
C. Leblanc, A. Falciatore, M. Watanabe, C. Bowler **1031–1044**

Importance of the B2 domain of the *Arabidopsis* ABI3 protein for Em and 2S albumin gene regulation
N. Bies-Etheve, A. da Silva Conceicao, J. Giraudat, M. Koornneef, K. Léon-Kloosterziel, C. Valon, M. Delseny **1045–1054**

As *Chlamydomonas reinhardtii* acclimates to low-CO_2 conditions there is an increase in cyclophilin expression
A. Somanchi, J.V. Moroney **1055–1062**

Cloning and characterization of a class II DNA photolyase from *Chlamydomonas*
J.L. Petersen, D.W. Lang, G.D. Small **1063–1071**

The HD-Zip gene *ATHB6* in *Arabidopsis* is expressed in developing leaves, roots and carpels and up-regulated by water deficit conditions
E. Söderman, M. Hjellström, J. Fahleson, P. Engström **1073–1083**

Instructions for authors **1085–1088**

Contents of Volume 40 **1089–1096**

Author index Volume 40 **1097–1098**